

IHD - Northmore Gordon

Canonical: <https://northmoregordon.com/glossary/ihd/>

Details:

[Home](#) › [Glossary](#) › IHD

IHD

According to our glossary, IHD stands for "In Home Display." An In Home Display is a device commonly associated with smart metering systems that provides real-time or near-real-time information about energy consumption to household or building occupants. IHDs serve as a practical tool for energy management by enabling users to monitor their electricity, gas, or water usage as it occurs, supporting informed decisions about energy use patterns and efficiency opportunities.

Related guidance

[Government schemes](#)

[Certificate services](#)

[Certificate trading](#)

[Measurement and verification](#)

[Energy audits](#)

[What to do after an energy audit](#)

What does IHD stand for?

According to our glossary, IHD stands for "In Home Display." An In Home Display is a device commonly associated with smart metering systems that provides real-time or near-real-time information about energy consumption to household or building occupants. IHDs serve as a practical tool for energy management by enabling users to monitor their electricity, gas, or water usage as it occurs, supporting informed decisions about energy use patterns and efficiency opportunities.

How does an In Home Display support energy management decisions?

An In Home Display provides occupants with immediate visibility into their energy consumption, enabling them to identify patterns, peak usage periods, and the effects of operational changes. This real-time feedback supports the energy management cycle by connecting measurement data to observable behaviour. By making consumption visible and accessible, IHDs facilitate the responsibility and accountability mechanisms that we describe as essential to turning energy assessments into ongoing improvement, supporting the practical energy management approach of routine operational checks and responsive action.

What role do In Home Displays play in metering and data collection strategies?

In Home Displays function as part of a broader metering infrastructure designed to answer operational or investment questions. According to our metering guidance, a useful metering system must specify its information requirement and intended users before installation. An IHD serves as the interface between raw meter data and end-user action, translating consumption information into a format that supports decision-making. This aligns with the principle that information only becomes useful when it can be interpreted and acted upon, making IHDs a practical component of effective data systems.

How do In Home Displays connect to Northmore Gordon's energy optimisation service approach?

Our energy optimisation services combine engineering assessment with implementation and ongoing performance support. In Home Displays support the performance-monitoring phase of this approach by providing visibility into how operational changes affect actual consumption. They enable the routine operational checks and monthly energy reviews that we recommend, allowing occupants and facility managers to observe whether efficiency improvements, changes to controls, or operational adjustments are delivering expected results. This supports accountability and evidence-based adjustment of strategies.

What data responsibilities and requirements should be established for In Home Display systems?

Our metering guidance emphasises establishing data responsibilities before installation. For In Home Display systems, this includes identifying who owns and can access the consumption data, how readings are exported, how equipment changes will be recorded, and appropriate treatment of time zones or daylight-saving adjustments. The organisation should clarify whether the IHD displays interval energy, cumulative register values, or power measurements, as these cannot be combined without understanding their meaning. Clear data responsibilities ensure the IHD information becomes operational rather than simply decorative.

Can In Home Display data support measurement and verification of energy projects?

In Home Displays can contribute to measurement and verification efforts by providing consumption visibility throughout a project lifecycle. However, our M&V guidance emphasises that bills and occupant-facing displays alone are insufficient evidence; genuine savings require comparison of pre- and post-project consumption under comparable operating conditions, with documented adjustments for production, weather, occupancy or other relevant variables. An IHD provides supportive feedback and monitoring but must be integrated into a structured M&V approach with established baselines, measurement boundaries, and documented responsibilities to establish credible project outcomes.

What are the limitations of relying solely on In Home Display readings for energy project analysis?

While In Home Displays provide useful real-time feedback, they have significant limitations for rigorous energy analysis. Our guidance emphasises that consumption can fall because production declined, operating hours shortened, weather changed, or prices changed—factors an IHD alone cannot distinguish. Effective energy assessment requires interval data, equipment details, operating schedules, production volumes, and documented baselines. An IHD complements but cannot replace the systematic data collection, boundary definition, and adjustment procedures that underpin credible measurement and verification or energy audits.

How does Northmore Gordon recommend integrating In Home Display feedback into ongoing energy management?

Our energy management framework recommends assigning ownership to decisions and maintaining an opportunity register, with routine operational checks examining data gaps and abnormal equipment behaviour. In Home Display feedback supports this by making consumption patterns visible to facilities managers and operators. We recommend a suggested review rhythm including routine operational checks, monthly energy reviews examining consumption and context, and periodic management reviews. An IHD's real-time information facilitates the routine check phase, alerting operators to unusual patterns that warrant investigation before monthly formal reviews.